

DPI NBC Unit

PPS offers a full range of equipment specifically designed to meet all your decontamination requirements.

Overview:

One of our extensive range of decontamination showers. Highly effective, competitively priced decontamination shower system that can be easily transported and rapidly deployed to cope with decontamination of personnel wherever required. Fitted with a Limited Life / Disposable Containment and water system.

Also has the ability to connect more than one unit together.

Supplied in a Heavy Duty PVC coated carry bag.



Features:

- Disposable Zytron™ Containment
- Disposable Integral Water system
- Minimum Water Usage
- Low flow high pressure jets
- Hand held brush
- Guy ropes and Pegs
- Light Weight
- Deployed in approx 2 minutes

Optional Extras:

- Detergent Injection
- ADS (Auto Detergent System)
- PPS Pro-50 Water Heater
- Spray Gun (alternative to Brush)
- Generator (petrol)
- Transformer 110 volt
- Replaceable Containment
- Connecting Straps x 2
- DuraVent® Training Liner
- Inlet hose conversions

DPI NBC Unit

Specifications

Part Number	8000509421
Frame	Orange Polyurethane
Containment	Kappler Zytron™ 600
Water System Inlet	Male Camlock Coupling
Water Brush	1 x Brush 10 L/min (approx) @ 3 Bar
Water Jets	6 x Nozzles (Blue) 3.86L/min @ 3Bar (Total 23 L/min)
Pressure Relief	2.5 PSI
Internal Dimensions	Approx: L 112cm x W 116cm x H 214cm
External Dimensions	Approx: L 159 cm x W 163cm x H 235cm
Storage Size	100cm x 140cm x 40cm
Weight Packed	30kgs

Additional Requirements

Part Number	Description
PS20062	1 x Waste Water Pump 230v with storz coupling
PS508907	1 x Waste Water Hose with storz coupling
PS509427	1 x Waste Tank (Flexible) 1,000 Litre
PS20054	1 x Raised Internal Flooring without hole for Pump.
PS20055	1 x Raised Internal Flooring with hole for Pump.
8000509423	1 x Pressure Reducer c/w Camlock Couplings
8000508593	1 x Electric Air Inflate / Deflate 230v
PS20052	1 x Internal Light - Slam tube 230v
8000509425	1 x Inlet Hose Additional, 5m c/w Camlock Cplgs

Alternatively order Product code 8000509455 for complete system.

DPI NBC UNIT c/w Decon Sleeves

PPS offers a full range of equipment specifically designed to meet all your decontamination requirements .

Overview:

One of our extensive range of decontamination showers. Highly effective, competitively priced decontamination shower system that can be easily transported and rapidly deployed to cope with decontamination of personnel wherever required. Fitted with a Limited Life / Disposable Containment and water system. Also has the ability to connect more than one unit together.

Supplied in a Heavy Duty PVC coated carry bag.

Features:

- Disposable Zytron™ Containment
- Fitted with Decon Sleeves
- Disposable Integral Water system
- Minimum Water Usage
- Low flow high pressure jets
- Hand held brush
- Guy ropes and Pegs
- Light Weight
- Deployed in approx 2 minutes

Optional Extras:

- Detergent Injection
- ADS (Auto Detergent System)
- PPS Pro-50 Water Heater
- Spray Gun (alternative to Brush)
- Generator (petrol)
- Transformer 110 volt
- Replaceable Containment
- Connecting Straps x 2
- DuraVent® Training Liner
- Inlet hose conversions



DPI NBC Unit	
Specifications	
Part Number	8000509479
Frame	Orange Polyurethane
Containment	Kappler Zytron™ 600
Water System Inlet	Male Camlock Coupling
Water Brush	1 x Brush 10 L/min (approx) @ 3 Bar
Water Jets	6 x Nozzles (Blue) 3.86L/min @ 3Bar (Total 23 L/min)
Pressure Relief	2.5 PSI
Internal Dimensions	Approx: L 112cm x W 116cm x H 214cm
External Dimensions	Approx: L 159 cm x W 163cm x H 235cm
Storage Size	100cm x 140cm x 40cm
Weight Packed	20kgs
Additional Requirements	
Part Number	Description
PS20062	1 x Waste Water Pump 230v with storz coupling
PS508907	1 x Waste Water Hose with storz coupling
PS509427	1 x Waste Tank (Flexible) 1,000 Litre
PS20054	1 x Raised Internal Flooring without hole for Pump.
PS20055	1 x Raised Internal Flooring with hole for Pump.
8000509423	1 x Pressure Reducer c/w Camlock Couplings
8000508593	1 x Electric Air Inflate / Deflate 230v
PS20052	1 x Internal Light - Slam tube 230v
8000509425	1 x Inlet Hose Additional, 5m c/w Camlock Cplgs
Alternatively order Product code 8000509481 for complete system.	

DPI NBC TRAINING LINER

PPS offers a full range of equipment specifically designed to meet all your decontamination requirements .

Overview:

When training with the DPI NBC there is no longer a need to use the NBC Zytron™ Containment, there is now a more affordable alternative.

The DPI NBC Training liner is manufactured from DuraVent™ material and is supplied with the same water system and fitted as your DPI NBC Unit. The liner is designed to be used with your existing DPI NBC Inflatable frame.

Supplied in a Heavy Duty PE Storage bag.

This liner has been designed for use as a training liner only.

Features:

- Ü Kappler DuraVent™ Liner
- Ü Light weight
- Ü Complete water system
- Ü Low flow high pressure jets
- Ü Hand held brush

Note: Inflatable sold separately



DPI-FIRST RESPONSE Unit

PPS offers a full range of equipment specifically designed to meet all your decontamination requirements.

Overview:

One of our extensive range of decontamination showers. Highly effective, competitively priced decontamination shower system that can be easily transported and rapidly deployed to cope with decontamination of suited personnel wherever required. Fitted with a Limited Life / Disposable Containment and water system. External raised platform both ends of the shower. Supplied in a Heavy Duty PVC coated carry bag.

Features:

- Disposable Zytron™ Containment
- Disposable Integral Water system
- Minimum Water Usage
- Low flow high pressure jets
- Hand held brush
- Heavy duty Guy ropes and Pegs
- Separate Ground Sheet
- Light Weight
- Deployed in approx 2 minutes

Optional Extras:

- Detergent Injection
- ADS (Auto Detergent System)
- PPS Pro-50 Water Heater
- Spray Gun (alternative to Brush)
- 110 volt Generator
- Transformer 110 volt
- Replaceable Containment
- DuraVent® Training Liner
- Inlet Hose Conversions
- Electric Cable Reel and Cables



DPI NBC Unit	
Specifications	
Part Number	8000509269
Frame	Orange Polyurethane
Containment	Kappler Zytron™ 600
Water System Inlets	2 x Male Camlock Couplings
Water Brush	2 x Brushes 10 L/min (approx) @ 3 Bar (Total 20 L)
Water Jets	12 x Nozzles (Blue) 3.86 L/min @ 3Bar (Total 46.32 L)
Pressure Relief	1 x valve 2.5 PSI
Internal Dimensions	(Compartment) L 177cm x W190cm, Total L 346cm
External Dimensions	L 395cm x W 225cm x 235cm
Storage Size	130cm x 100cm x 40cm
Weight Packed	38 kg
Additional Requirements	
Part Number	Description
PS20062	1 x Waste Water Pump 230v with storz coupling
PS508907	1 x Waste Water Hose with storz coupling
PS509427	1 x Waste Bladder Tank 1,000 Litre
PS20054	6 x Raised Internal Flooring, small plain pieces
PS20060	1 x Raised Internal Flooring, small cut out right
PS20055	1 x Raised Internal Flooring, small cut out left
PS20064	1 x Raised and Internal Flooring, Large for Hand Rail
PS20053	2 x Raised Internal Flooring, Large
PS508006	1 x Infill Plate (Metal) for Flooring
8000509423	1 x Pressure Reducer c/w Camlock Couplings
PS20065	1 x Inlet Y hose with couplings
8000508593	1 x Electric Air Inflate / Deflate 230v
PS20052	2 x Internal Light - Slam tube 230v
PS509279	1 x Internal Hand Rail
Alternatively order Product code 8000509460 for complete system.	

DECAS NBC Unit

PPS offers a full range of equipment specifically designed to meet all your decontamination requirements.

Overview:

One of our extensive range of decontamination showers. Highly effective, competitively priced decontamination shower system that can be easily transported and rapidly deployed to cope with decontamination of ambulant or non-ambulant patients wherever required. Fitted with a Limited Life / Disposable Containment and water system. Removable centre curtain allowing the system to be used as a Two line or single line system allowing room for a conveyor.

Also has the ability to connect more than one unit together.

Supplied in a Heavy Duty PVC coated carry bag.

Features:

- Disposable Zytron™ Containment
- Disposable Integral Water system
- Minimum Water Usage
- 2 x trigger spray guns
- Guy ropes and Pegs
- Light Weight
- Deployed in approx 2 minutes

Optional Extras:

- Detergent Injection
- ADS (Auto Detergent System)
- PPS Pro-50 Water Heater
- Replacement Containment
- Brush (alternative to trigger sprays)
- DuraVent® Training Liner
- Modesty unit (can be attached)
- Generator (Petrol)
- Transformer
- Connecting Straps x 2
- Inlet hose conversions



DECAS NBC Unit	
Specifications	
Part Number	8000509422
Frame	Orange Polyurethane
Containment	Kappler Zytron™ 600
Water System Inlet	Male Camlock Coupling
Trigger Gun 6 Function	2 x Guns, Variable Flow rate 0.5 to 12 L/min
Internal Dimensions	W 244 cm x L 256 cm x H215 cm
External Dimensions	W 267 cm x L 370 cm x H 235cm
Storage Size	150cm x 90 cm x 40 cm
Weight Packed	39 kg
Additional Requirements	
Part Number	Description
PS20062	1 x Waste Water Pump 230v with storz coupling
PS508907	1 x Waste Water Hose with storz coupling
PS509427	1 x Waste Bladder Tank 1,000 Litre
PS20053	4 x Raised Internal Flooring
PS20054	2 x Raised Internal Flooring
PS20055	1 x Raised Internal Flooring
PS20060	1 x Raised Internal Flooring
PS508006	1 x Flooring infill Plate
8000509423	1 x Pressure Reducer c/w Camlock Coupling
8000508593	1 x Electric Air Inflate / Deflate 230v
PS20052	2 x Internal Lights—Slam Tube 230v
Alternatively Order Product Code 8000509465 for Complete System	